



**PEWA** Messtechnik GmbH

Weidenweg 21 58239 Schwerte

Tel.: 02304-96109-0 Fax: 02304-96109-88 E-Mail: info@pewa.de Homepage : www.pewa .de

# HI 7001 Buffer Solution pH 1.68

# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date:2009-06-10Reason for Revision:29 CFR 1910.1200 and SOR/88-66 Compliance

# SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 7001 Buffer Solution pH 1.68

Application: pH Buffer Solution, ± 0.01 @ 25°C/77°F

Company Information (USA):

Technical Service Contact Information:

USA Emergency Contact Information: International Emergency Contact Information:

E-mail Address:

 Additional Product Codes:
 HI 7001L

 HI 7001M
 HI 7001M-0

Hanna Instruments, Inc. 584 Park East Dr, Woonsocket, Rhode Island, USA 02895

> 1-800-426-6287 (8:30AM - 5:00PM ET) +1-401-766-4260 (8:30AM - 5:00PM ET)

1-800-424-9300 (Chemtrec 24Hr. Emergency)

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

tech@hannainst.com

# <u>SECTION 2:</u> HAZARD IDENTIFICATION

Non-hazardous product as specified in Directives 67/548/EEC and 1999/45/EC. Non-hazardous product as specified in OSHA Regulation 29 CFR 1910.1200. Non-hazardous product as specified in Canadian Regulation SOR/88-66.

# <u>SECTION 3:</u> COMPOSITION AND COMPONENT INFORMATION

*Content:* > 1% - < 5%

## <u>SECTION 4:</u> FIRST AID MEASURES

After Inhalation:	Remove to fresh air. Call a physician if breathing becomes difficult.
After Skin Contact:	Wash affected area with water and soap.
After Eye Contact:	Rinse out with plenty of water for at least 15 minutes. If pain persists, summon medical advice.
After Swallowing:	Wash out mouth with plenty of water, provided person is conscious. Obtain medical attention if feeling unwell.
General Information:	Not available

# SECTION 5: FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media:

Water Spray, Foam, Dry Powder, Carbon Dioxide

### Special Risks:

Non-combustible. Development of hazardous combustion gases or vapors possible in the event of fire.

### Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

### Additional Information:

Take up dry. Clean up affected area and dispose according to local regulation. Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.



# HI 7001 Buffer Solution pH 1.68

Safety Data Sheet According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 6: ACCIDENTAL RELEASE MEASURES Personal Precautions:							
None							
Environmental P	Precautions:						
None							
Additional Notes	:						
None							
SECTION 7:	HANDLING AND STORA	GE					
Handling:		St	orage:				
Avoid generation substance.	n of vapors/aerosols. Do not inhal	e T	Tightly closed. In a well-ventilated place at +15 to +25 °C.				
SECTION 8:	EXPOSURE CONTROL/P	ERSONAL PROT	ECTION				
Engineering:							
	al industrial hygiene practice.						
•	ctive Equipment:						
Droto stiller al still	ning should be selected specifical	ly for the working place	e, depending on conce	entration and quantity of the	hazardous		
Protective cloth							
substances ha	ndled.						
substances har Respiratory Pro	ndled. Ditection:	Protective Gloves:		Eye Protection:			
substances har <b>Respiratory Pro</b> Required when	ndled. D <b>tection:</b> I vapors/aerosols are generated.	<b>Protective Gloves:</b> Rubber or plastic		Eye Protection: Goggles or face	mask		
substances har Respiratory Pro Required when Industrial Hygie	ndled. D <b>tection:</b> I vapors/aerosols are generated.	Rubber or plastic	nce.	-	mask		
substances har Respiratory Pro Required when Industrial Hygie Change contar	ndled. <b>otection:</b> vapors/aerosols are generated. <b>ene:</b>	Rubber or plastic	ice.	-	mask		
substances har Respiratory Pro Required when Industrial Hygie Change contar	ndled. p <b>tection:</b> vapors/aerosols are generated. e <b>ne:</b> ninated clothing. Wash hands afte	Rubber or plastic	ice. Odorless	Goggles or face	mask 		
substances har Respiratory Pro Required when Industrial Hygie Change contar SECTION 9:	ndled. <b>otection:</b> vapors/aerosols are generated. <b>ene:</b> ninated clothing. Wash hands afte <b>PHYSICAL/CHEMICAL PH</b>	Rubber or plastic er working with substar		Goggles or face			
substances har Respiratory Pro Required when Industrial Hygie Change contan SECTION 9: Appearance:	ndled. ptection: vapors/aerosols are generated. pre: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PF Colorless liquid	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point:	Odorless > 100 °C	Goggles or face Density at 20° (	<b>C:</b> 1.0 g/cm³ at 25°C		
substances har Respiratory Pro Required when Industrial Hygie Change contar SECTION 9: Appearance: Melting Point:	ndled. ptection: vapors/aerosols are generated. pre: ninated clothing. Wash hands afte PHYSICAL/CHEMICAL PF Colorless liquid NA 1.68 at 25°C	Rubber or plastic er working with substar ROPERTIES Odor:	Odorless > 100 °C	Goggles or face Density at 20° ( Solubility:	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contan SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp	ndled. ptection: vapors/aerosols are generated. pre: ninated clothing. Wash hands afte PHYSICAL/CHEMICAL PF Colorless liquid NA 1.68 at 25°C	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit:	Odorless > 100 °C	Goggles or face Density at 20° ( Solubility:	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contan SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp	ndled. prection: vapors/aerosols are generated. pre: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PF Colorless liquid NA 1.68 at 25°C p.: NA STABILITY AND REACTIVE	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit:	Odorless > 100 °C	Goggles or face Density at 20° ( Solubility: Flash Point:	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp SECTION 10:	ndled. prection: vapors/aerosols are generated. pre: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PF Colorless liquid NA 1.68 at 25°C p.: NA STABILITY AND REACTIVE	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit: VITY	Odorless > 100 °C NA	Goggles or face Density at 20° ( Solubility: Flash Point: sition Products:	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contan SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp SECTION 10: Conditions to b	ndled. prection: vapors/aerosols are generated. ene: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PH Colorless liquid NA 1.68 at 25°C p.: NA STABILITY AND REACTING e Avoided:	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit: VITY	Odorless > 100 °C NA azardous Decompos	Goggles or face Density at 20° ( Solubility: Flash Point: sition Products: ee section 5.	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp SECTION 10: Conditions to b Heating	ndled. prection: vapors/aerosols are generated. ene: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PH Colorless liquid NA 1.68 at 25°C p.: NA STABILITY AND REACTING e Avoided:	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit: VITY H	Odorless > 100 °C NA azardous Decompos In the event of fire: Se ubstances to be Avo	Goggles or face Density at 20° ( Solubility: Flash Point: sition Products: ee section 5.	C: 1.0 g/cm³ at 25°C Soluble		
substances har Respiratory Pro Required when Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decomp SECTION 10: Conditions to b Heating Hazardous Poly	ndled. prection: vapors/aerosols are generated. pre: ninated clothing. Wash hands after PHYSICAL/CHEMICAL PF Colorless liquid NA 1.68 at 25°C p.: NA STABILITY AND REACTING e Avoided: prerization:	Rubber or plastic er working with substar ROPERTIES Odor: Boiling Point: Explosion Limit: VITY H	Odorless > 100 °C NA azardous Decompos In the event of fire: Se ubstances to be Avo	Goggles or face Density at 20° of Solubility: Flash Point: sition Products: ee section 5. bided:	C: 1.0 g/cm³ at 25°C Soluble		



# Safety Data Sheet

According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

## SECTION 11: TOXICOLOGICAL INFORMATION

#### Product Toxicity

Quantitative data on the toxicity of this product is not available.

#### Potential Health Effects:

Inhalation:	Mucosal irritations.
Skin Contact:	Slight irritations.
Eye Contact:	Slight irritations.
Ingestion:	Nausea, vomiting, spasms.
Further Data:	The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorder. The product should be handled with the usual care when dealing with chemicals.

#### Component Toxicity

Acute Toxicity:

Not Available

Chronic Toxicity:

Not Available

#### Additional Data:

Not Available

# SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available.

Further Data: No ecological problems are to be expected when the product is handled and used with due care and attention.

### SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

# SECTION 14: TRANSPORTATION INFORMATION

Land:

#### <u>JN 14:</u> TRANSPORTATION INFORMATIC Sea:

Not subject to transport regulations

Not subject to transport regulations

Air:

Not subject to transport regulations

## **SECTION 15:** REGULATORY INFORMATION

#### Labeling according to EC Directives:

Non-hazardous according to Directives 67/548/EEC and 1999/45/EC.

# SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3	Revision Information		Legend
21/22: Harmful in contact with skin and if	Revision Date:	2009-06-10	NA: Not Applicable
swallowed.	Supersedes edition of:	2008-12-01	ND: Not Determined
	Reason for revision:	29 CFR 1910.1200 and SOR/88-66 Compliance	

## THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.