



Safety Data Sheet

According to Regulation (EC) No. 1907/2006

Revision Date: 2008-12-01

Reason for Revision: REACH Compliance and General Update

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 7022 ORP Solution for Platinum and Gold Electrodes

Additional Product Codes: HI 7022L
HI 7022M

Application: ORP Solution for platinum and gold electrodes.
470 mV @ 25°C/77°F

Company Information (USA):

Hanna Instruments, Inc.
584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information:

1-800-426-6287 (8:30AM - 5:00PM ET)
+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information:

1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information:

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address:

tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Irritating to eyes and skin.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfuric Acid

EC-No.: 231-639-5

CAS-No.: 7664-93-9

Hazard: C

Phrases: R: 35

Content: > 5% - < 15%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Call a physician if breathing becomes difficult.

After Skin Contact: Wash effected area with water and soap.

After Eye Contact: Rinse out with plenty of water for at least 15 minutes. If pain persists, summon medical advice.

After Swallowing: Wash out mouth with plenty of water, provided person is conscious. Obtain medical attention if feeling unwell.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Development of hazardous combustion gases or vapors possible in the event of fire. Hydrogen may form upon contact with metals (danger of explosion!). The following may develop in event of fire: Sulfur Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.

SECTION 7: HANDLING AND STORAGE

Handling:

Avoid generation of vapors/aerosols. Do not inhale substance.

Storage:

Tightly closed. In a well-ventilated place at +15 to +25 °C, protected from light. Accessible only for authorized persons.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Ingredients:

SULFURIC ACID
EXPOSURE LIMITS - GERMANY
Source Type Value
TRGS 900 OEL 1 mg/m³

EXPOSURE LIMITS - DENMARK
Source Type Value
OEL TWA 1 mg/m³

Engineering:

Safety shower and eye wash.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection:

Required when vapors/aerosols are generated.

Protective Gloves:

Rubber or plastic

Eye Protection:

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Light yellow liquid

Odor: Odorless

Density at 20° C: ~ 1 g/cm³

Melting Point: ND

Boiling Point: ND

Solubility: Soluble

pH at 20° C: ~ 1

Explosion Limit: NA

Flash Point: NA

Thermal Decomp.: ND

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Strong Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Not available

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Alkali metals, alkali compounds, ammonia, alkaline earth compounds, alkalis, acids, alkaline earth metals, metals, metal alloys, permanganates, combustible substances, organic solvents, halogenates

SECTION 11: TOXICOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Acute toxicity

LD50 (oral, rat): 2140 mg/kg (Using 25 % solution).

LC50 (inhalation, rat): 0.51 mg/L /2 h (calculated on the pure substance).

Specific symptoms in animal studies:

Skin irritation test (rabbit): burns.

Eye irritation test (rabbit): burns.

Toxicologic values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

No appreciable contribution to the cancer risk in humans is to be expected where the limit value for occupational safety is observed.

An embryotoxic effect need not be feared when the threshold limit value is observed.

No teratogenic effect in animal experiments.

Bacterial mutagenicity: Ames-Test: negative.

In Case of Inhalation: Irritative symptoms in the respiratory tract.

In Case of Skin Contact: Irritations.

In Case of Eye Contact: Possibility of corneal lesions.

In Case of Ingestion: Damage to the affected mucous membranes possible.

Further Data: Further hazardous properties cannot be excluded. The product should be handled with the usual care when dealing with chemicals. Property of this product must be anticipated on the basis from the components of the preparation:

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

Harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC 50 : 29 mg/L/24 h (calculated on the pure substance).

Further Data: DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION**Land:**

Not subject to transport regulations

Sea:

Not subject to transport regulations

Air:

Not subject to transport regulations

SECTION 15: REGULATORY INFORMATION**Labeling according to EC Directives:****Symbol:** Xi: Irritant**R-phrases:** 36/38: Irritating to eyes and skin.**S-phrases:** 26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.**Contains:****SECTION 16: OTHER INFORMATION****Text of R-phrases under Section 3**

35: Causes severe burns.

Revision Information**Revision Date:** 2008-12-01**Supersedes edition of:** 2008-01-17**Reason for revision:** REACH Compliance and General Update**Legend**

NA: Not Applicable

ND: Not Determined

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.