



HI 70429 0.05M Silver Nitrate Solution

Safety Data Sheet

According to Regulation (EC) No. 1907/2006

Revision Date:2008-12-01Reason for Revision:REACH Compliance and General Update

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 70429 0.05M Silver Nitrate Solution

Application: For Chemical Analysis

Company Information (USA):

Technical Service Contact Information:

USA Emergency Contact Information:

International Emergency Contact Information: E-mail Address: Additional Product Codes:

Hanna Instruments, Inc. 584 Park East Dr, Woonsocket, Rhode Island, USA 02895

1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

1-800-424-9300 (Chemtrec 24Hr. Emergency)

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

<u>SECTION 3:</u> Component:	COMPOSITION AND COMPONENT INFORMATION Silver Nitrate
EC-No.:	231-853-9
CAS-No.:	7761-88-8
Hazard:	C, N
Phrases:	R: 34-50/53
Content:	> 0.25% - < 2.5%
SECTION A:	

SECTION 4: FIRST AID MEASURES

After Inhalation:	Remove to fresh air.
After Skin Contact:	Wash effected area with plenty of water. Remove contaminated clothing.
After Eye Contact:	Rinse out with plenty of water for at least 10 minutes with the eyelid held wide open. Call in ophthalmologist if necessary.
After Swallowing:	Make victim drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Call in physician.
General Information:	Not available

<u>SECTION 5:</u> FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible.

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapours with water. Prevent fire-fighting water from entering surface water or groundwater.



Safety Data Sheet According to Regulation (EC) No. 1907/2006

Do not inhale v	vapors/aerosols.				
Environmental	Precautions:				
Take up with lie Additional Note	quid-absorbent material. es:				
None					
SECTION 7:	HANDLING AND STOR	RAGE			
Handling:		S	torage:		
Cannot be stored indefinitely. Stable in the recommended storage conditions.			Tightly closed. Store at room temperature (+15 to +25 °C recommended). Protect from light.		
SECTION 8:	EXPOSURE CONTROL	/PERSONAL PROT	ECTION		
Ingredients:					
UK Name: Silver s Type: LTEL Value: 0.01 mg	oluble compounds (as Ag) ŋ/m³				
Engineering:					
Maintain gener Personal Prote	al industrial hygiene practice.				
1 61301101 1 10160	cuve Equipment.				
Protective cloth	hing should be selected specific esistance of the protective cloth				nazardous substances
Protective cloth	hing should be selected specific esistance of the protective cloth		be established with the		
Protective cloth handled. The re Respiratory Pro Required when generated. Wo	hing should be selected specific esistance of the protective cloth otection: h vapors/aerosols are rk under hood.	ning to chemicals should l	be established with the s:	respective supplier.	on:
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie	hing should be selected specific esistance of the protective cloth otection: h vapors/aerosols are rk under hood.	ning to chemicals should l Protective Glove Rubber or plasti	be established with the n s: c	respective supplier. <i>Eye Protectio</i> Goggles or	on: face mask
Protective cloth handled. The m <i>Respiratory Pro</i> Required when generated. Wo <i>Industrial Hygie</i> Change contar	hing should be selected specific esistance of the protective cloth otection: n vapors/aerosols are rk under hood. ene:	ning to chemicals should l Protective Glove Rubber or plasti skin-protectve barrier cre	be established with the n s: c	respective supplier. <i>Eye Protectio</i> Goggles or	on: face mask
Protective cloth handled. The m <i>Respiratory Pro</i> Required when generated. Wo <i>Industrial Hygie</i> Change contar	hing should be selected specific esistance of the protective cloth Detection: In vapors/aerosols are ork under hood. ene: minated clothing. Application of	ning to chemicals should l Protective Glove Rubber or plasti skin-protectve barrier cre	be established with the n s: c	respective supplier. <i>Eye Protectio</i> Goggles or	on: face mask n substance.
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9:	hing should be selected specific esistance of the protective cloth otection: in vapors/aerosols are ink under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL	hing to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES	be established with the es: c am recommended. Wa	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with	on: face mask n substance.
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance:	hing should be selected specific esistance of the protective cloth otection: a vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid	hing to chemicals should l Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor:	be established with the s: c am recommended. Wa Odorless ND	respective supplier. <i>Eye Protection</i> Goggles or ash hands after working with <i>Density at 20°</i>	on: face mask n substance. C: 1.0 g/cm ³
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point:	hing should be selected specific esistance of the protective cloth otection: a vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5	ning to chemicals should l Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point:	be established with the s: c am recommended. Wa Odorless ND	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20°</i> <i>Solubility:</i>	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom	hing should be selected specific esistance of the protective cloth otection: a vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5	ning to chemicals should l Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit:	be established with the s: c am recommended. Wa Odorless ND	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20°</i> <i>Solubility:</i>	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom	hing should be selected specific esistance of the protective cloth otection: a vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5 ap.: NA STABILITY AND REAC	ning to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit:	be established with the s: c am recommended. Wa Odorless ND	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20° C</i> <i>Solubility:</i> <i>Flash Point:</i>	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom	hing should be selected specific esistance of the protective cloth otection: In vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5 np.: NA STABILITY AND REAC be Avoided:	ning to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit:	be established with the s: c eam recommended. Wa Odorless ND NA	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20°</i> <i>Solubility:</i> <i>Flash Point:</i> <i>ition Products:</i>	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom SECTION 10: Conditions to 1	hing should be selected specific esistance of the protective cloth otection: In vapors/aerosols are ork under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5 np.: NA STABILITY AND REAC be Avoided: g	ning to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit: STIVITY	be established with the s: c am recommended. Wa Odorless ND NA Hazardous Decompos	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20° C</i> <i>Solubility:</i> <i>Flash Point:</i> <i>ition Products:</i> re section 5.	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom SECTION 10: Conditions to a Strong Heatin	hing should be selected specific esistance of the protective cloth otection: a vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5 np.: NA STABILITY AND REAC be Avoided: g lymerization:	ning to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit: STIVITY	be established with the s: c mam recommended. Wa Odorless ND NA Hazardous Decompos In the event of fire: Se Substances to be Avo	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20° C</i> <i>Solubility:</i> <i>Flash Point:</i> <i>ition Products:</i> re section 5.	on: face mask n substance. C: 1.0 g/cm ³ Soluble
Protective cloth handled. The m Respiratory Pro Required when generated. Wo Industrial Hygie Change contar SECTION 9: Appearance: Melting Point: pH at 20° C: Thermal Decom SECTION 10: Conditions to a Strong Heatin Hazardous Poi	hing should be selected specific esistance of the protective cloth otection: In vapors/aerosols are brk under hood. ene: minated clothing. Application of PHYSICAL/CHEMICAL Colorless liquid NA ~ 4-5 hp.: NA STABILITY AND REAC be Avoided: g hymerization:	ning to chemicals should I Protective Glove Rubber or plasti skin-protectve barrier cre PROPERTIES Odor: Boiling Point: Explosion Limit: STIVITY	be established with the s: c mam recommended. Wa Odorless ND NA Hazardous Decompos In the event of fire: Se Substances to be Avo	respective supplier. <i>Eye Protectio</i> Goggles or ash hands after working with <i>Density at 20° (</i> <i>Solubility:</i> <i>Flash Point:</i> <i>ition Products:</i> the section 5. <i>ided:</i>	on: face mask n substance. C: 1.0 g/cm ³ Soluble



Safety Data Sheet

According to Regulation (EC) No. 1907/2006

SECTION 11: TOXICOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available. APPLICABLE TO PARTIAL COMPONENT: The following applies to Silver Nitrate - as the pure substance: Acute toxicity LD50 (oral, rat): 1173 mg/kg. Specific symptoms in animal studies: Eye irritation test (rabbit): burns. Skin irritation test (rabbit): burns. Subacute to chronic toxicity Bacterial mutagenicity: Salmonella typhimurium: negative. In Case of Inhalation: In Case of Skin Contact: Slight irritations. In Case of Eye Contact: Slight irritations. In Case of Ingestion: Symptoms in: gastrointestinal tract. Further Data: The following applies to soluble silver compounds: only slightly absorbed via the gastrointestinal tract. Strong irritations after contact with eyes and skin. Property of this product must be anticipated on the basis from the components of the preparation:

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecotoxicity of this product is not available.

APPLICABLE TO PARTIAL COMPONENT:

The following applies to Silver Nitrate – as the pure substance:

Biological effects:

Harmful effect on aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Further ecologic data:

The following applies to silver compounds in general: biological effects: silver ions toxic for aquatic organisms; bacteria: Ps. putida toxic as from 0.006 mg/L; protozoa: U. parduczi toxic as from 0.1 mg/L; arthropods: D. daphnia EC50: 0.004 mg/L; algae: M. aeruginosa toxic as from 0.0007 mg/L; Sc. quadricauda toxic as from 0.009 mg/L.

Further Data: Do not allow to enter waters, waste water, or soil!

<u>SECTION 13:</u> DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land:

Not subject to transport regulations

Not subject to transport regulations

Not subject to transport regulations

Air:

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Symbol: None

R-phrases: 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Sea:

S-phrases: 61: Avoid release to the environment. Refer to special instructions/Safety data sheets.

Contains:



Safety Data Sheet

According to Regulation (EC) No. 1907/2006

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3 **Revision Information** Legend **Revision Date:** 2008-12-01 NA: Not Applicable 34: Causes burns. 50/53: Very toxic to aquatic organisms, may ND: Not Determined Supersedes edition of: 2006-06-12 cause long-term adverse effects in the aquatic environment. **REACH Compliance and General Update** Reason for revision: THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR

KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.

