



According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

Revision Date: 2009-06-10

Reason for Revision: 29 CFR 1910.1200 and SOR/88-66 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 70444 25% SULFURIC Acid Solution

Application: For Chemical Analysis

Company Information (USA):

Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Causes severe burns.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfuric Acid

EC-No.: 231-639-5

CAS-No.: 7664-93-9

Hazard: C

Phrases: R: 35

Content: > 15% - < 50%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Summon doctor.

After Skin Contact: Wash affected area with plenty of water. Immediately remove contaminated clothing.

After Eye Contact: Rinse out with plenty of water for at least 10 minutes. Immediately call in ophthalmologist.

After Swallowing: Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice.

Do not attempt to neutralize.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible. Hydrogen may form upon contact with metals (danger of explosion!). Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire: Sulfur Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

<u>SECTION 6:</u> ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.

SECTION 7: HANDLING AND STORAGE

Handling: Storage:

Avoid generation of vapors/aerosols. Do not inhale substance.

Tightly closed. In a well-ventilated place at +15 to +25 °C. Keep away from sources of ignition and heat. Accessible only for authorized persons.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Туре	Value	Source	Туре	Value	Source
Sulfuric Acid					
TWA (8hr)	1 mg/m³	Belgium	TWA (8hr)	0.2 mg/m ³	Canada (Ontario)
TWA (8hr)	1 mg/m³	Canada (Quebec)	TWA (8hr)	1 mg/m³	France
TWA (8hr)	1 mg/m³	Greece	TWA (8hr)	1 mg/m³	Hungary
TWA (8hr)	0.5 mg/m ³	Poland	TWA (8hr)	0.2 mg/m ³	Portugal
TWA (8hr)	0.5 mg/m ³	Romania	TWA (8hr)	1 mg/m³	Spain
TWA (8hr)	0.2 mg/m³	USA (ACGIH)	TWA (8hr)	1 mg/m³	USA (OSHA)

Engineering:

Safety shower and eye wash.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when vapors/aerosols are Rubber or plastic Goggles or face mask generated. Work under hood.

Industrial Hygiene:

Immediately change contaminated clothing and immerse in water. Apply skin-protective barrier cream. Wash hands and face after working with substance. Work under hood. Do not inhale substance. Avoid generation of vapors/aerosols. Under no circumstances eat or drink at workplace.

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Colorless liquid Odor: Odorless Density at 20° C: 1.18 g/cm3 Solubility: **Melting Point:** ND **Boiling Point:** ND Soluble Flash Point: pH at 20° C: < 1 Explosion Limit: NA NA

Thermal Decomp.: NA



According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Strong Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Hygroscopic. Has a corrosive effect. Incompatible with metals

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Combustible substances, water, metals, metal alloys, alkali metals, alkali compounds, alkali hydroxides, alkali oxides, alkaline earth compounds, alkalis, ammonia, nitrates, sodium carbonate, lithium silicide, halogenhalogen compounds, salts of oxyhalogenic acids, bromates, chromates/perchromates, perchlorates, perchloric acid, permanganates, permanganic acid, organic nitro compounds, nonmetals, nonmetallic oxides, picrates, hydrogen peroxide, nitramide, mercury nitride, ammonium iron (III) sulfate dodecahydrate

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

Inhalation: After inhalation of aerosols: damage to the affected mucous membranes.

Skin Contact: Severe burns with formation of scabs.

Eye Contact: Burns, corneal lesion.

Ingestion: Severe pain (risk of perforation!), nausea, vomiting and diarrhea.

Further Data: The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Sulfuric Acid

LC50: Inhalation - Rat - 510 mg/m³ **LD50:** Oral - Rat - 2140 mg/kg

Chronic Toxicity:

Sulfuric Acid

NTP: Known to be carcinogenic to humans

Additional Data:

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Specific symptoms in animal studies:

Eye irritation test (rabbit): burns.

Skin irritation test (rabbit): burns.

Toxicological values are not available due to other dangerous properties of the substance.

Subacute to chronic toxicity

Applicable to partial component(s):

Bacterial mutagenicity: Ames test: negative.

No teratogenic effect in animal experiments.



According to Regulation (EC) No. 1907/2006 OSHA Regulation 29 CFR 1910.1200 Canadian Regulation SOR/88-66

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

APPLICABLE TO MAIN COMPONENT:

The following applies to Sulfuric acid, as the pure substance:

Biologic degradation:

Methods for the determination of biodegradability are not applicable to inorganic substances.

Behavior in environmental compartments:

Concentration in organisms is not to be expected.

Ecotoxic effects:

Quantitative data on the ecological effect of this product are not available.

Further ecologic data:

The following applies to sulfuric acid: biological effects: harmful effect on aquatic organisms. Harmful effect due to pH shift. Toxic effect on fish and algae. Caustic even in diluted form. Does not cause biological oxygen deficit. Endangers drinking water supplies if allowed to enter soil and/or waters in large quantities. Neutralization possible in waste water treatment plants.

Daphnia toxicity: Daphnia magna EC 50 : 29 mg/L/24 h (calculated on the pure substance).

Further Data: DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land: Sea: Air:

ADR/RID: 8 PGII IMDG: 8/UN 1760/PGII ICAO/IATA: 8/UN 1760/PGII UN-N: 1760 Name: CORROSIVE LIQUID, n.o.s. Name: CORROSIVE LIQUID, n.o.s.

Name: CORROSIVE LIQUID, n.o.s.

Transport data applies to the COMPLETE KIT!

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Symbol: C: Corrosive

R-phrases: 35: Causes severe burns.

S-phrases: 26-30-45: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Never add

water to this product. In case of accident or if you feel unwell, seek medical advice immediately (show the label where

possible).

Contains: Sulfuric acid

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3 Revision Information Legend

35: Causes severe burns.

Revision Date: 2009-06-10

NA: Not Applicable

ND: Not Determined

Supersedes edition of: 2008-12-01

Reason for revision: 29 CFR 1910.1200 and SOR/88-66

Compliance

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.