

HI 8035 Conductivity Calibration Solution, 111800 µS/cm @ 25°C/77°F

Safety Data Sheet According to Regulation (EC) No. 1907/2006

Revision Date: Reason for Revision:	2008-12-01 REACH Compliance and General Update			
	NTIFICATION OF THE PRODUCT AN	ND COMPANY		
	HI 8035 Conductivity Calibration Solution	Additional Product Codes: HI 8035L		
Application:	Calibration solution in bottle made of FDA approved resin			
Company Information (USA):		Hanna Instruments, Inc 584 Park East Dr, Woonsocket, Rhode Island, USA 0289		
Technical Service Contact Information:		1-800-426-6287 (8:30AM - 5:00PM ET +1-401-766-4260 (8:30AM - 5:00PM ET		
USA Emergency	Contact Information:	1-800-424-9300 (Chemtrec 24Hr. Emergency		
International Em	ergency Contact Information:	+1-703-527-3887 (Chemtrec 24Hr. Emergency)		
E-mail Address:		tech@hannainst.com		
	ZARD IDENTIFICATION as specified in Directives 67/548/EEC and 199	99/45/EC.		
Component: Aque EC-No.: CAS-No.: Hazard: Phrases: Content:	eous Solution	PEWA Messtechnik GmbH Weidenweg 21 58239 Schwerte Tel.: 02304-96109-0 Fax: 02304-96109-8 Fax: 02304-96109-8 Fax: 02304-96109-8 Fax: 012304-96109-8 Homepage : www.pewa.de		
SECTION 4: FIR After Inhalation: After Skin Contact: After Eye Contact: After Swallowing: General Information	Wash out mouth with plenty of water, prov	eathing becomes difficult. 15 minutes. If pain persists, summon medical advice. ided person is conscious. Obtain medical attention if feeling unwell.		
Suitable Extinguishi Water Spray, Foam, Special Risks: Non-combustible. Special Protective E	, Dry Powder, Carbon Dioxide G quipment:	clothing and self-contained breathing apparatus.		
Additional Information				



Safety Data Sheet According to Regulation (EC) No. 1907/2006

<u>SECTION 6:</u> A	SECTION 6: ACCIDENTAL RELEASE MEASURES						
Personal Precauti	ons:						
None							
Environmental Pre	ecautions:						
None							
Additional Notes:							
None							
SECTION 7: H	ANDLING AND STORAGE						
Handling:			orage:				
No restrictions		k	Keep container closed and prote	cted from direct sur	nlight. Store at		
			oom temperature (+15°C to +25				
SECTION 8: E	XPOSURE CONTROL/PER	SONAL PROT	ECTION				
Ingredients:							
Engineering:							
Maintain general i	ndustrial hygiene practice.						
Personal Protective Equipment:							
As appropriate to	quantity handled.						
Respiratory Protection: Protective Glove			5:	Eye Protection:			
Required when vapors/aerosols are generated.		Rubber or plastic		Goggles or face mask			
Industrial Hygiene	:						
Change contamin	ated clothing. Wash hands after we	orking with substand	ce.				
SECTION 9: P	HYSICAL/CHEMICAL PRO	PERTIES					
Appearance:	Colorless liquid	Odor:	Odorless	Density at 20° C:	~ 1 g/cm ³		
Melting Point:	NA	Boiling Point:	> 100 °C	Solubility:	Soluble		
pH at 20° C:	~ 7	Explosion Limit:	NA	Flash Point:	NA		
•		-					
Thermal Decomp.:	NA						
-							
-	TABILITY AND REACTIVI	гу					
-	TABILITY AND REACTIVIT		azardous Decomposition Prod	lucts:			
<u>SECTION 10:</u> S Conditions to be	TABILITY AND REACTIVIT Avoided: above boiling point). Stable in the	н	azardous Decomposition Prod				
SECTION 10: S Conditions to be Strong Heating (a	TABILITY AND REACTIVIT Avoided: above boiling point). Stable in the orage conditions.	Н	-				
SECTION 10: S Conditions to be Strong Heating (a recommended st	TABILITY AND REACTIVIT Avoided: above boiling point). Stable in the orage conditions.	н	In the event of fire: See section	5.			
SECTION 10: S Conditions to be Strong Heating (a recommended st Hazardous Polym	TABILITY AND REACTIVIT Avoided: above boiling point). Stable in the orage conditions. perization:	н	In the event of fire: See section ubstances to be Avoided:	5.			



Г

Safety Data Sheet According to Regulation (EC) No. 1907/2006

1

SECTION 11: TOXICO					
Quantitative data on the tox	icity of this product is not available.				
In Case of Inhalation:					
In Case of Skin Contact:					
In Case of Eye Contact:					
In Case of Ingestion:					
Further Data:	-				
Quantitative data on the eco	DGICAL INFORMATION ological effect of this product is not available. gical problems are to be expected when the product is handled and use	ed with due care and attention.			
<u>SECTION 13:</u> DISPOS	SAL CONSIDERATIONS				
	SAL CONSIDERATIONS safely disposed of as an ordinary refuse.				
Waste Disposal: Can be	safely disposed of as an ordinary refuse.				
Waste Disposal: Can be		Air:			
Waste Disposal: Can be SECTION 14: TRANS	safely disposed of as an ordinary refuse. PORTATION INFORMATION Sea:	<i>Air:</i> Not subject to transport regulations			
Waste Disposal: Can be SECTION 14: TRANS Land: Not subject to transport r	safely disposed of as an ordinary refuse. PORTATION INFORMATION Sea:				
Waste Disposal: Can be SECTION 14: TRANS Land: Not subject to transport r	Safely disposed of as an ordinary refuse.				
Waste Disposal: Can be <u>SECTION 14:</u> TRANS Land: Not subject to transport r <u>SECTION 15:</u> REGUL Labeling according to EC	Safely disposed of as an ordinary refuse.				
Waste Disposal: Can be <u>SECTION 14:</u> TRANS Land: Not subject to transport r <u>SECTION 15:</u> REGUL Labeling according to EC	safely disposed of as an ordinary refuse. PORTATION INFORMATION Sea: regulations Not subject to transport regulations ATORY INFORMATION Directives:				
Waste Disposal: Can be <u>SECTION 14:</u> TRANS Land: Not subject to transport r <u>SECTION 15:</u> REGUL Labeling according to EC Symbol: Non-hazardou	safely disposed of as an ordinary refuse. PORTATION INFORMATION Sea: regulations Not subject to transport regulations ATORY INFORMATION Directives:				



Safety Data Sheet According to Regulation (EC) No. 1907/2006

SECTION 16: OTHER INFORMATION	,						
Text of R-phrases under Section 3	Revision Information		Legend				
	Revision Date:	2008-12-01	NA: Not Applicable				
	Supersedes edition of:	2008-01-18	ND: Not Determined				
	Reason for revision:	REACH Compliance and General Update					
THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.							