



PEWA
Messtechnik GmbH
Weidenweg 21
58239 Schwerte
Tel: 02304-96109-0
Fax: 02304-96109-88
E-Mail: info@pewa.de

HI 93754C-25 Reagent Tube for COD Test (25 vials) Safety Data Sheet

According to Regulation (EC) No. 1907/2006

Revision Date: 2008-12-01

Reason for Revision: REACH Compliance and General Update

<u>SECTION 1:</u> IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: Reagent for COD Test (25 vials) Additional Product Codes: COD-HR

Application: HR COD Analysis: 0 to 15000 mg/L

Company Information (USA): Hanna Instruments, Inc.

584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information: 1-800-426-6287 (8:30AM - 5:00PM ET)

+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information: 1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information: +1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address: tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Contact with combustible material may cause fire. Toxic by inhalation, in contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. May cause sensitization by inhalation and skin contact. May cause cancer. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. May impair fertility. May cause harm to the unborn child.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfuric Acid Mercury (II) Sulfate Potassium Dichromate

EC-No.: 231-639-5 231-992-5 231-906-6 **CAS-No.**: 7664-93-9 7783-35-9 7778-50-9

Hazard: C T+, N T+, N, O, Carc. Cat. 2, Muta.

Cat. 2, Repr. Cat. 2.

Phrases: R: 35 R 26/27/28-33-50-53

R: 8-26-34-42/43-45-46-49-50-53-

Content: > 50% - <90% > 0.5 - < 2% 60-61

> 0.1 - < 0.5%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air. Summon doctor.

After Skin Contact: Wash effected area with plenty of water. Immediately remove contaminated clothing.

After Eye Contact: Rinse out immediately with plenty of water and seek medical advice.

After Swallowing: Drink plenty of water (if necessary several liters), avoid vomiting (risk of perforation!). Immediately seek medical advice.

Do not attempt to neutralize.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.



HI 93754C-25 Reagent Tube for COD Test (25 vials) Safety Data Sheet

According to Regulation (EC) No. 1907/2006

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Development of hazardous combustion gases or vapors possible in the event of fire. Hydrogen may form upon contact with metals (danger of explosion!). The following may develop in event of fire: Sulfur Oxides, Mercury Vapors

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Product itself is non-combustible. Cool container with spray water from a safe distance. Contain escaping vapors with water. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Take up with liquid-absorbent material. Clean up affected area and dispose according to local regulation.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Render harmless: neutralize with diluted sodium hydroxide solution or by throwing on lime, lime sand, or sodium carbonate.

SECTION 7: HANDLING AND STORAGE

Handling: Storage

Avoid generation of vapors/aerosols. Work under hood. Do not inhale substance.

Tightly closed. In a well-ventilated place at +15 to +25 °C. Protect from light. Store in fridge if possible. Accessible only for authorized persons

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Ingredients:

MERCURIC SULPHATE MAK 0.1000 mg/m³ TLV 0.1000 mg/m³

POTASSIUM DICHROMATE MAK 0.050 mg/ m³

TLV 0.050 mg/m³

Engineering:

Maintain general industrial hygiene practice.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection: Protective Gloves: Eye Protection:

Required when vapors/aerosols are generated. Work under hood.

Rubber or plastic

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.



HI 93754C-25 Reagent Tube for COD Test (25 vials) Safety Data Sheet

According to Regulation (EC) No. 1907/2006

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance: Yellow-orange liquid Odor: Odorless Density at 20° C: ~ 1.7 g/cm³

with undissolved solid

Melting Point: NA Boiling Point: ND Solubility: Soluble

(development of heat)

pH at 20° C: < 0.5 Explosion Limit: NA Flash Point: NA

Thermal Decomp.: > 338 °C

Will not occur.

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided: Hazardous Decomposition Products:

Strong Heating In the event of fire: See section 5.

Hazardous Polymerization: Substances to be Avoided:

Further Information:

Hygroscopic. Has a corrosive effect. Incompatible with metals.

Combustible substances, water, metals, metal alloys, alkali metals, alkali compounds, alkali hydroxides, alkali oxides, alkaline earth compounds, alkalis, ammonia, nitrates, sodium carbonate, lithium silicide, halogenhalogen compounds, salts of oxyhalogenic acids, bromates, chromates/perchromates, perchlorates, perchloric acid, permanganates, permanganic acid, organic nitro compounds, nonmetals, nonmetallic oxides, picrates, hydrogen peroxide, nitramide, mercury nitride, ammonium iron (III) sulfate dodecahydrate

SECTION 11: TOXICOLOGICAL INFORMATION

Quantitative data on the toxicity of this product is not available.

In Case of Inhalation: After inhalation of aerosols: damage to the affected mucous membranes.

In Case of Skin Contact: Severe burns with formation of scabs.

In Case of Eye Contact: Burns, corneal lesion.

In Case of Ingestion: Severe pain (risk of perforation!), nausea, vomiting and diarrhea.

Further Data: Systemic effects: Mercury compounds have a cytotoxic and protoplasmatoxic effect. Intoxication symptoms:

ACUTE: contact with eyes causes severe lesions. Swallowing and inhalation of dust damages mucous membranes of gastrointestinal and respiratory tract (metallic taste, nausea, vomiting, abdominal pain, bloody diarrhea, intestinal burns, glottal edema, aspiration pneumonia); drop in blood pressure, cardiac disrhythmia, circulatory collapse, and renal failure; chronic. CHRONIC: inflammation of the mouth with loss of teeth and mercurial line. The principal signs manifest themselves in the CNS (impaired speech, vision, hearing and sensitivity, loss of memory, irritability, hallucinations, delirium inter alia). The product should be handled with the

usual care when dealing with chemicals.

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available. Biological effects: High aquatic toxicity. Harmful effect due to pH shift. Caustic even in diluted form. Endangers drinking water supplies if it enters in large quantities in soil and/or waters. Does not cause biological oxygen deficit.

APPLICABLE TO PARTIAL COMPONENT:

Fish toxicity:

Sulfuric acid: lethal from 1.2 mg/L; from 6.3 mg/L lethal in 24h. mercury: LC50: 0.5 mg/L Hg(II) ions. Hazard for drinking water.

Luminescent bacteria toxicity:

mercuric chloride: EC20: 0.28~mg/L; ED50: 0.35~mg/L sodium dichromate: EC20: 1.2~mg/L; ED50: 3.5~mg/L

Further Data: DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local

authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.



HI 93754C-25 Reagent Tube for COD Test (25 vials) **Safety Data Sheet**

According to Regulation (EC) No. 1907/2006

SECTION 14: TRANSPORTATION INFORMATION

Land: Air:

ADR/RID: 9/PG II/ UN3316 IMDG: 9/PG II/ UN3316 ICAO/IATA: 9/PG II/ UN3316 Name: CHEMICAL KIT Name: CHEMICAL KIT Name: CHEMICAL KIT

Transport data applies to the COMPLETE KIT!

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

Symbol: T: Toxic

C: Corrosive

O: Oxidizer

R-phrases: 8-23/24/25-33-35-42/43-45-52/53-60-61: Contact with combustible material may cause fire. Toxic by inhalation, in

contact with skin and if swallowed. Danger of cumulative effects. Causes severe burns. May cause sensitization by inhalation and skin contact. May cause cancer, Harmful to aquatic organisms, may cause long-term adverse effects in

the aquatic environment. May impair fertility. May cause harm to the unborn child.

26-28.1-30-45-60-61: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After contact with skin, wash immediately with plenty of water. Never add water to this product. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Refer to special instructions / Safety data

Mercury (II) sulphate, sulfuric acid, Potassium dichromate Contains:

SECTION 16: OTHER INFORMATION

Text of R-phrases under Section 3 Revision Information Legend

8: Contact with combustible material may **Revision Date:** 2008-12-01 NA: Not Applicable cause fire. ND: Not Determined

REACH Compliance and General Update

Supersedes edition of: 2008-01-03 26/27/28: Very toxic by inhalation, in contact with skin and if swallowed.

Reason for revision: 33: Danger of cumulative effects.

34: Causes burns.

35: Causes severe burns.

42/43: May cause sensitization by inhalation and skin contact.

45: May cause cancer.

46: May cause heritable genetic damage.

49: May cause cancer by inhalation.

50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

60: May impair fertility.

61: May cause harm to the unborn child.

THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF THE PROPERTIES OF THE PRODUCT.