



HI 96785

Honey Color Portable Photometer

[Click to Buy](#)

[Get a Quote](#)



PEWA
Messtechnik GmbH

Weidenweg 21
58239 Schwerte

Tel.: 02304-96109-0
Fax: 02304-96109-88
E-Mail: info@pewa.de
Homepage : www.pewa.de

- Immediate results
- Digital readout
- No more judging by eye

The HI 96785 portable microprocessor analyzer measures the percent light transmittance of honey compared to analytical reagent grade glycerol. The transmittance value allows identification of the honey Pfund grade. The instrument directly displays the measurement result expressed in mm Pfund.

Measurements are made using matched square optical cuvettes having a 10 mm light path.

Why this instrument is so important

The natural color of honey presents many tonalities: from straw yellow to amber, from dark amber to almost black with a hint of red. The color of untreated honey originates from the botanical varieties used by the bees: for this reason, its coloration allows one to commercially identify the original floral type.

In addition, the color of honey tends to darken with age or change according to the method of conservation or production used by beekeepers, (for example: the use of old beehives, contact with metals, the temperature of conservation, exposure to light, etc.). The classes of color are expressed in millimeters (mm) on the Pfund scale, compared to an analytical standard scale of reference on the graduation of glycerin.

Order Information:

HI 96785 is supplied with sample cuvettes (5), 9V battery, light shield cap, 30 mL bottle of glycerol, instruction manual.

[Specifications](#) [Accessories](#) [Downloads](#)

Range	0 to 150 mm Pfund
Resolution	1 mm Pfund
Accuracy	±2 mm Pfund @ 80mm Pfund @ 25°C
Light Source	tungsten lamps
Light Detector	silicon photocells with narrow band interference filter @ 420 nm and 525 nm
Power Supply	9V battery
Auto-off	after ten minutes of non-use in measurement mode; after one hour of non-use in calibration mode; with last reading reminder
Environment	0 to 50°C (32 to 122°F); RH max 95% non-condensing
Dimensions	192 x 104 x 69 mm (7.6 x 4.1 x 2.7")
Weight	360 g (12.7 oz.)
Method	direct measure