

PEWA

Messtechnik GmbH

Weidenweg 21 58239 Schwerte

Tel.: 02304-96109-0 Fax: 02304-96109-88 E-Mail: info@pewa.de Homepage: www.pewa.de

Passive 10X Voltage Probe

TPP0200, TPP0201 Data Sheet



Features & Benefits

- 10X Attenuation
- 200 MHz Bandwidth
- 1.3 m Length
- UL61010-031;2007, CAN/CSA C22.2 No. 61010-031-07, IEC61010-031; IEC 61010-031/A1:2008

Applications

- Relative Low-frequency Measurements
- Low-frequency Computer and Telecom Measurements
- Power Supplies
- Low-frequency Amplifiers



TPP0200, TPP0201 Passive Voltage Probes

The TPP0200 and TPP0201 probes are 200 MHz, 10X passive voltage probes with 10 $\text{M}\Omega$ input resistance. These probes are for use on BNC oscilloscopes with 1 M Ω /13 pF (TPP0200) and 1 M Ω /20 pF (TPP0201) inputs.

For a complete list of compatible oscilloscopes, refer to the Tektronix Oscilloscope Probe & Accessory Selector Tool at http://www.tek.com/probes.

Characteristics

Characteristic	Description
Bandwidth	DC to 200 MHz
Probe Length	1.3 m
Compensation Range	
TPP0200	8 pF to 18 pF
TPP0201	15 pF to 25 pF
Input Capacitance	12 pF (typical)
Input Resistance	10 ΜΩ
Maximum Input Voltage	300 V CAT II

Ordering Information

Probe Packages

Package	Description
TPP0201-PK10	10-pack of TPP0201 probes
TPP0201-PK50	50-pack of TPP0201 probes

Accessories

TPP0200 and TPP0201 Include:

Accessory	Description	
013-0362-xx	Retractable hook tip	
016-2028-xx	Long ground spring	
196-3521-xx	6 in. alligator ground	

Optional Accessories for the TPP0200 and TPP0201

Accessory	Description
016-2034-xx	Short ground spring
196-3512-xx	12 in. alligator ground
196-3198-xx	6 in. clip-on ground lead with 0.025 in. pin receptacle
013-0363-xx	Micro hook tip
206-0569-xx	MicroCKT test tip
013-0366-xx	IC cap
013-0367-xx	BNC to probe tip adapter, unterminated
016-2016-xx	PCB to probe tip adapter, 10-pack
131-4210-00	Compact probe-tip chassis mount





Product(s) are manufactured in ISO registered facilities.



Product(s) complies with IEEE Standard 488.1-1987, RS-232-C, and with Tektronix Standard Codes and Formats.

ASEAN / Australasia (65) 6356 3900

Austria 00800 2255 4835*

Balkans, Israel, South Africa and other ISE Countries +41 52 675 3777

Belgium 00800 2255 4835*

Brazil +55 (11) 3759 7600

Canada 1 800 833 9200

Central East Europe, Ukraine, and the Baltics +41 52 675 3777

Central Europe & Greece +41 52 675 3777

Denmark +45 80 88 1401

Finland +41 52 675 3777

France 00800 2255 4835*

Germany 00800 2255 4835*

Hong Kong 400 820 5835

India 000 800 650 1835

Italy 00800 2255 4835*

Japan 81 (3) 6714 3010 Luxembourg +41 52 675 3777

Mexico, Central/South America & Caribbean (52) 56 04 50 90

Middle East, Asia, and North Africa +41 52 675 3777

The Netherlands 00800 2255 4835*

Norway 800 16098

People's Republic of China~400~820~5835

Poland +41 52 675 3777

Portugal 80 08 12370

Republic of Korea 001 800 8255 2835

Russia & CIS +7 (495) 7484900

South Africa +41 52 675 3777

Spain 00800 2255 4835*

Sweden 00800 2255 4835*

Switzerland 00800 2255 4835* Taiwan 886 (2) 2722 9622

United Kingdom & Ireland 00800 2255 4835*

USA 1 800 833 9200

* European toll-free number. If not accessible, call: +41 52 675 3777

Updated 25 May 2010

For Further Information. Tektronix maintains a comprehensive, constantly expanding collection of application notes, technical briefs and other resources to help engineers working on the cutting edge of technology. Please visit ${\bf www.tektronix.com}$



Copyright © Tektronix, Inc. All rights reserved. Tektronix products are covered by U.S. and foreign patents, issued and pending. Information in this publication supersedes that in all previously published material. Specification and price change privileges reserved. TEKTRONIX and TEK are registered trademarks of Tektronix, Inc. All other trade names referenced are the service marks, trademarks, or registered trademarks of their respective companies.

08 Sep 2010 51W-25681-0

www.tektronix.com

