



PEWA
Messtechnik GmbH
Weidenweg 21
58239 Schwerte
Tel.: 02304-96109-0
Fax: 02304-96109-88
E-Mail: info@pewa.de
Homepage: www.pewa.de

HI 3846-0
Chromium Reagent
Safety Data Sheet

According to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66

Revision Date: 2009-06-10

Reason for Revision: 29 CFR 1910.1200 and SOR/88-66 Compliance

SECTION 1: IDENTIFICATION OF THE PRODUCT AND COMPANY

Product Name: HI 3846-0 Chromium Reagent

Additional Product Codes: HI 3846-100

Application: Determination of Chromium (VI) in Water Samples

Company Information (USA):

Hanna Instruments, Inc.
584 Park East Dr, Woonsocket, Rhode Island, USA 02895

Technical Service Contact Information:

1-800-426-6287 (8:30AM - 5:00PM ET)
+1-401-766-4260 (8:30AM - 5:00PM ET)

USA Emergency Contact Information:

1-800-424-9300 (Chemtrec 24Hr. Emergency)

International Emergency Contact Information:

+1-703-527-3887 (Chemtrec 24Hr. Emergency)

E-mail Address:

tech@hannainst.com

SECTION 2: HAZARD IDENTIFICATION

Irritating to eyes and skin. Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

SECTION 3: COMPOSITION AND COMPONENT INFORMATION

Component: Sulfamic Acid

EC-No.: 226-218-8

CAS-No.: 5329-14-6

Hazard: Xi

Phrases: R: 36/38-52/53

Content: > 30% - < 40%

SECTION 4: FIRST AID MEASURES

After Inhalation: Remove to fresh air.

After Skin Contact: Wash affected area with plenty of water. Remove contaminated clothing.

After Eye Contact: Rinse out immediately with plenty of water. Seek medical advice.

After Swallowing: Drink plenty of water, induce vomiting, obtain medical attention.

General Information: Remove contaminated, soaked clothing immediately and dispose of safely.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Water spray, Carbon Dioxide, Dry Chemical Powder, Appropriate Foam.

Special Risks:

Non-combustible. Development of hazardous combustion gases or vapors possible in the event of fire. The following may develop in event of fire:
Sulfur Oxides, Nitrogen Oxides

Special Protective Equipment:

Do not stay in dangerous zone without suitable chemical protection clothing and self-contained breathing apparatus.

Additional Information:

Contain escaping vapors with water. Prevent fire residues and contaminated fire fighting water from entering surface water or groundwater.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Avoid formation of dusts. Do not inhale dusts. Avoid substance contact.

Environmental Precautions:

Do not discharge into the drains/surface waters/groundwater.

Additional Notes:

Take up dry. Clean up affected area and dispose according to local regulation. Avoid generation of dusts.

SECTION 7: HANDLING AND STORAGE

Handling:

Avoid generation of dusts. Work under hood.

Storage:

Store at room temperature (+15 to +25 °C recommended). Tightly closed in a dry and well-ventilated place. Accessible only for authorized persons.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering:

Maintain general industrial hygiene practice.

Personal Protective Equipment:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled.

Respiratory Protection:

Required when dusts are generated.

Protective Gloves:

Rubber or plastic

Eye Protection:

Goggles or face mask

Industrial Hygiene:

Change contaminated clothing. Wash hands after working with substance.

SECTION 9: PHYSICAL/CHEMICAL PROPERTIES

Appearance:

White powder

Odor:

Odorless

Density at 20° C: ND

Melting Point:

ND

Boiling Point:

NA

Solubility: Soluble

pH at 20° C:

1.0 – 1.5 at 20 g/L in water

Explosion Limit:

NA

Flash Point: NA

Thermal Decomp.:

NA

SECTION 10: STABILITY AND REACTIVITY

Conditions to be Avoided:

Strong Heating

Hazardous Polymerization:

Will not occur.

Further Information:

Stable in the recommended storage conditions.

Hazardous Decomposition Products:

In the event of fire: See section 5.

Substances to be Avoided:

Halogens, alkalis, oxidizing agents, metals with water

SECTION 11: TOXICOLOGICAL INFORMATION

Product Toxicity

Quantitative data on the toxicity of this product is not available.

Potential Health Effects:

- Inhalation:** Irritation symptoms in the respiratory tract. Coughing, dyspnoea.
Skin Contact: Irritations.
Eye Contact: Severe irritations.
Ingestion: Irritations of mucous membranes in the mouth, pharynx, esophagus and gastrointestinal tract.
Further Data: The product should be handled with the usual care when dealing with chemicals.

Component Toxicity

Acute Toxicity:

Chronic Toxicity:

Not Available

Sulfamic Acid

LD50: Oral - Rat - 3160 mg/kg

Additional Data:

Not Available

SECTION 12: ECOLOGICAL INFORMATION

Quantitative data on the ecological effect of this product is not available.

Further Data: Harmful effect on aquatic organisms. Harmful effect due to pH shift. May cause long-term adverse effects in the aquatic environment. DO NOT ALLOW TO ENTER WATERS, WASTE WATERS, OR SOIL!

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Chemical residues are generally classified as special waste and thus covered by local regulations. Contact local authorities or disposal companies for advice. Handle contaminated packaging in the same way as the substance itself.

SECTION 14: TRANSPORTATION INFORMATION

Land:

Sea:

Air:

ADR/RID: 9, II
 UN-No. : 3316
 Name : CHEMICAL KIT

IMDG: 9/UN 3316/PG II
 Name : CHEMICAL KIT

ICAO/IATA: 9/UN 3316/PG II
 Name: CHEMICAL KIT

Transport data applies to the COMPLETE KIT!

SECTION 15: REGULATORY INFORMATION

Labeling according to EC Directives:

- Symbol:** Xi: Irritant
R-phrases: 36/38-52-53: Irritating to eyes and skin. Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
S-phrases: 26-28-61: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. After contact with skin, wash immediately with plenty of water. Avoid release to the environment. Refer to special instructions safety data sheet.

Safety Data Sheet

According to Regulation (EC) No. 1907/2006
OSHA Regulation 29 CFR 1910.1200
Canadian Regulation SOR/88-66

SECTION 16: OTHER INFORMATION***Text of R-phrases under Section 3***

36/38: Irritating to eyes and skin
52/53: Harmful to aquatic organisms, may
cause long-term adverse effects in the aquatic
environment

Revision Information

Revision Date: 2009-06-10
Supersedes edition of: 2008-12-01
Reason for revision: 29 CFR 1910.1200 and SOR/88-66
Compliance

Legend

NA: Not Applicable
ND: Not Determined

**THE INFORMATION CONTAINED HEREIN IS BASED ON THE PRESENT STATE OF OUR
KNOWLEDGE. IT CHARACTERIZES THE PRODUCT WITH REGARD TO THE
APPROPRIATE SAFETY PRECAUTIONS. IT DOES NOT REPRESENT A GUARANTEE OF
THE PROPERTIES OF THE PRODUCT.**